

ProxiPen Kit

The Complete Guard Tour System Solution



Trust Detex® to put the most advanced technology in proximity-based guard tour verification systems within your reach.

The ProxiPen system gives you consistently accurate data readings without direct contact, plus a consistently great price.

The GCS® ProxiPen Kit from Detex is the total solution for your guard tour verification requirements and other data collection tasks. It includes everything you need to quickly and easily set up a complete guard tour system that features the innovative ProxiPen RFID tag reader and user-friendly TopGuard Patrol communication and reporting software.

The control points used with the ProxiPen are Radio Frequency Identification (RFID) tags, which the ProxiPen automatically senses and reads whenever they come into its reading range. You don't need to actually touch the RFID tag to read it; so the ProxiPen can read tags even if they are wet, frosty, dirty, greasy or painted over. In fact, the tags may be concealed behind wallpaper, wallboard, plaster, paneling, mirrors or any other nonmetallic surface - a real plus in applications where aesthetics or vandalism are considerations.

**Life Safety,
Security and
Security Assurance**

ARCHITECTURAL
HARDWARE

LOSS PREVENTION
PRODUCTS

ACCESS
CONTROL

SYSTEM
ENHANCEMENTS

INTEGRATED
SYSTEMS

GUARD TOUR
VERIFICATION

Toughness plus advanced technology - but easy to use. The ProxiPen is compact, lightweight and easy to use since it has no external controls. Correct data readings are confirmed by visible and audible signals. The electronic components are sealed in a tough, waterproof polycarbonate housing that resists heat, shock and hydrocarbons. Because of its low power consumption, the ProxiPen requires only one size "AA" commercial alkaline, lithium or rechargeable battery that can be replaced by the user without any special tools.

TopGuard Patrol - flexible and user-friendly. The TopGuard Patrol software makes it easy to set up tours, download and evaluate the data and prepare reports, which may be saved and/or e-mailed in HTML or Adobe Acrobat® PDF format. TopGuard Patrol also features fully user-editable text fields, so that the software may be customized to accommodate any data-collection application, including maintenance, service, cleaning, attendance and asset tracking. Control points, incidents, personnel, equipment, inventory or activities may be assigned to an RFID tag. The optional "PLUS" version of TopGuard Patrol provides extended capacity, more reporting options and other advanced, high-utility features. And the TopGuard Patrol software can be used with other GCS data acquisition hardware, including the popular Escort system - in combination with the ProxiPen if so desired.



Ordering Information

GCS-PP-KIT ProxiPen Kit 120 for 120/240VAC service

Contents of the ProxiPen Kit

<u>QUANTITY</u>	<u>PART NUMBER</u>	<u>DESCRIPTION</u>
1	GCS-PP	ProxiPen RFID Tag Reader
1	GCS-PP-DTU	Data Transfer Unit (DTU) for ProxiPen (serial or USB port)
1	GCS-PP-DTU-CAB	Serial Data Cable for ProxiPen DTU
1	GCS-PP-DTU-USB	USB Data Cable for ProxiPen DTU
1	GCS-PP-DTU-PS	Power Supply for ProxiPen DTU, 120/240 VAC, with USA/UK/EUR adapters
1	GCS-TGP	TopGuard Patrol Software**
1	GCS-PP-INCBK	RFID Tag Incident Book (with 12 tags)
25	GCS-PP-TAG30-U	RFID Tag, 30mm diameter
5	GCS-PP-TAG50-N	RFID Tag, 50mm diameter
1	GCS-PP-WB-U	Wristband RFID Tag
1	GCS-PP-CRD-U	Proximity RFID Card with Magstripe
1	GCS-PP-KF-U	Keyfob RFID Tag

Options

<u>PART NUMBER</u>	<u>DESCRIPTION</u>
GCS-PP-HOL	ProxiPen Holster
GCS-TGPLUS	TopGuard Patrol PLUS Software**



ProxiPen Holster

System Requirements

Minimum System

- Intel 486 processor (or compatible)
- Serial or USB data port available
- 16 MB RAM
- 50 MB hard disk
- Screen resolution 800 x 600
- Windows® 95b, 98/SE, 2000, NT 4.0 SP3, Me, XP

Recommended System

- Intel Pentium II processor (or compatible)
- Serial or USB data port available
- 64 MB RAM
- 150 MB hard disk (depending on data base size)
- Screen resolution 1024 x 768
- Windows® 95b, 98/SE, 2000, NT 4.0 SP3, Me, XP

The optional TopGuard Patrol PLUS software also requires that the PC have an additional USB data port, as it includes a copy protection device that must be attached to a USB port in order for the software to operate.

ProxiPen Kit Warranty

This DETEX ProxiPen Data Acquisition System Kit is warranted to be free of defects in material and workmanship when properly installed, configured, used and maintained according to instructions. We will, for a period of one (1) year [three (3) years for the ProxiPen reader] from the date of purchase, repair or replace any part which, upon our examination, proves to be defective under normal use. This warranty will be honored only upon presentation of proof that the product covered thereby was purchased directly from an authorized DETEX Distributor. We shall not be liable for any direct, incidental or consequential loss or damage arising out of the failure of this product.

**TopGuard Patrol has been previously released as "WinDau Standard Edition" and "TopGuard Primo." TopGuard Patrol PLUS has been previously released as "WinDau Enterprise Edition."

Detex Corporation
302 Detex Drive
New Braunfels, TX 78130-3045 USA
PH: (830) 629-2900 • (800) 729-3839
FAX: (830) 620-6711 • (800) 653-3839
<http://www.detex.com>
USA Sales: marketing@detexcorp.com
International Sales: export@detexcorp.com



The E. C. Cush Company
9009 Wildberry Court
Boonsboro, MD 21713
Phone: (301)-354-6064
Fax: (240)-597-2456
www.eccush.com
david@eccush.com
Detex Distributor Since 1948